

SAFETY DATA SHEET

| Section 1 Identification of the material and the supplier | |
|---|---|
| Product: | CCA Treated Radiata Pine |
| Product Use: | Timber components for use in structures in situations where insect and fungal decay resistance is required |
| Other Names: | CCA treated radiata pine |
| Supplier of Treatment Chemical: | Koppers Performance Chemicals New Zealand |
| Address: | 14 Mayo Road, |
| | Wiri |
| | Auckland, New Zealand |
| Telephone: | (09) 277 7770 |
| Fax Number: | (09) 277 8011 |
| Emergency Telephone: | 0800 243 622 |
| Date of SDS Preparation: | 26 August 2022 |
| Section 2 Hazards Ide | entification |

This substance is NOT hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

| Section 3 | Composition / Information | on Ingredients | |
|---|---|---|---------------------------------------|
| Name Pinus Radiata – Timbe Wood preservative res Copper as CuO Chromium as CrO ₃ Arsenic acid as As ₂ O ₅ | | CAS Number N/A 1317-38-0 1333-82-0 7778-39-4 | Weight % > 94 < 1 < 3 < 2 |
| Section 4 | First Aid Measures | | |
| Routes of Exposure: | | | |
| If in Eyes | | carefully rinse eyes with runnin cal advice if irritation persists. | ng water for several |
| lf on Skin | | e skin with soap and water or s attention. Get medical advice if | |
| If Swallowed | | t induce vomiting unless told to medical attention if you feel unv | |
| If Inhaled | comfortable for breat respiration. Use motion | It, remove to fresh air and keep thing. If person is not breathing uth-to-nose rather than mouth-t is: Seek medical attention. | , begin artificial |
| Product Name: Sarmix Oxco Date of SDS: 26/8/22 | | repared by: Technical Compliance 9 475 5240 www.techc | |



| Section 5 Fire Fighting Measures | | |
|--|---|--|
| Hazard Type | Combustible material | |
| Hazards from decomposition products | Avoid breathing smoke or fumes that may contain hazardous decomposition products. Carbon dioxide, carbon monoxide, oxides of nitrogen. May produce toxic decomposition products in fumes and smoke in fire. | |
| Suitable Extinguishing media | Water spray. | |
| Precautions for firefighters and special protective clothing | Wear personal protection equipment and self-contained breathing apparatus. Wood dust may form explosive mixtures with air. | |
| HAZCHEM CODE | None Allocated | |

| Section 6 Accidental Release Measures | | Section 6 | Accidental Release Measures |
|---------------------------------------|--|-----------|-----------------------------|
|---------------------------------------|--|-----------|-----------------------------|

GENERAL:

Wear appropriate personal protective equipment. Avoid any contact with skin or eyes.

Dispose of treated off cuts to authorised landfill. Consult Regional Council for disposal options Clean spillage area with detergent and water. Wash and dry any contaminated protective equipment before re-use.

| Section 7 | Handling and Storage |
|-----------|----------------------|
| Section 7 | Handling and Storage |

HANDLING:

- Wear protective clothing.
- Wash hands before smoking, eating, drinking or using the toilet
- Keep away from sparks, open flames, hot surfaces. No smoking.

STORAGE:

- Store in a well-ventilated place, away from sources of heat or ignition
- Store away from incompatibilities listed in Section 10.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

| Substance | TWA ppm mg/m³ | STEL ppm mg/m³ |
|-----------------------|------------------|-------------------|
| Wood dust (soft wood) | 2 | |
| Copper | 0.01 | |
| Arsenic | 0.001 | |
| Chromium (VI) | 0.00002 | |

ENGINEERING CONTROLS:

Use mechanical dust extraction or in well-ventilated area or outside. Avoid sawing or sanding of timber that is wet (not dry) with the preservative treatment



PERSONAL PROTECTIVE EQUIPMENT:

| Eyes | Wear goggles, full face shield, or safety glasses with side shields when cutting this product. |
|----------------|--|
| Hands and Skin | Wear protective clothing such as overalls and shirt with sleeves, also closed in footwear. Wear puncture-resistant gloves (e.g. leather) when handling dry wood, or rubber gloves if the surfaces are wet with preservative. |
| Respiratory | Use in well-ventilated area or outside. Wear dust mask if wood dust is generated. |
| General | Wash hands before eating, drinking, smoking, using the toilet and at the end of the shift. |

Section 9 Physical and Chemical Properties

| Appearance | Machined or rough-sawn pine timber and timber-based products; with a green or grey colour. |
|----------------------------------|--|
| Odour | Slight |
| Odour Threshold | Not applicable |
| pH | Not applicable |
| Boiling Point | Not applicable |
| Melting Point | Not applicable |
| Freezing Point | Not available |
| Flash Point | Not applicable |
| Flammability | Combustible |
| Upper and Lower Explosive Limits | Not applicable |
| Vapour Pressure | Not applicable |
| Density at 20°C | 0.4 – 0.6 g/cm ³ |
| Solubility in water | Insoluble |
| Partition Coefficient: | Not applicable |
| Auto-ignition Temperature | Not applicable |
| Decomposition Temperature | Not available |
| Kinematic Viscosity | Not available |
| Particle Characteristics | Not available |
| % Volaties | Not applicable |
| Evaporation Rate | Not applicable |
| | |

Section 10

Stability and Reactivity

| Chemical Stability: Conditions to Avoid: Incompatibility:Stable under normal storage and use conditions. Avoid contact with extreme heat.Incompatibility: HazardousOther combustible materials, Strong oxidising agents, acid Carbon dioxide, carbon monoxide, oxides of nitrogen. Materials decomposition products in fumes and smoke in fire.ProductsProducts | |
|---|--|
|---|--|

Section 11

Toxicological Information

Acute Effects:

| Swallowed | Not applicable. |
|------------------------|--|
| Dermal | Not applicable. |
| Inhalation/Respiratory | May cause asthma-like symptoms. |
| Eye | Sawdust may cause eye irritation. |
| Skin | May cause skin irritation. May cause skin sensitization. |



| Chronic Effects: | |
|---|---|
| Carcinogenicity Reproductive Toxicity Germ Cell Mutagenicity STOT/SE STOT/RE Aspiration | Sawdust may cause nasal/paranasal cancer through repeated exposure. Not applicable. Not applicable. Not applicable. Sawdust may cause damage to skin and lungs through repeated exposure. Not applicable. |
| Section 12 E | cotoxicological Information |
| | to be a hazard to the environment when the chemicals are allowed to become |
| Persistence/Degradeabil Mobility in Soil: Bioaccumulative potenti Other Adverse effects: | No data available |
| Section 13 D | isposal Considerations |
| DO NOT use off cuts for h | to authorised landfill. Consult Regional Council for disposal options. eating or cooking fires or for barbecues or spit roasts. Avoid contact with ash; . Dispose of ash safely to an approved landfill. |
| Section 14 T | ransport Information |
| 5433:2021 | sified as a Dangerous Good for transport in NZ; NZS 5433:2020 and SNZ HB egulatory Information |
| | |
| This substance is NOT h Notice 2020 | azardous according to the EPA Hazardous Substances (Classification) |
| Section 16 O | ther Information |
| Glossary Cat. AWC EC ₅₀ EEL EPA HSNO HSW LC ₅₀ LD ₅₀ LEL OSHA | Category Aggregate water capacity. Median effective concentration. Environmental Exposure Limit. Environmental Protection Authority Hazardous Substances and New Organisms. Health and Safety at Work. Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it. Lethal dose to kill 50% of test animals/organisms. Lower explosive level. American Occupational Safety and Health Administration. |
| TEL TLV UEL WES | Tolerable Exposure Limit. Threshold Limit Value-an exposure limit set by responsible authority. Upper Explosive Level Workplace Exposure Limit |



References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices Apr 2022 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2020
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been compiled by TCC (NZ) Ltd on behalf of the manufacturer of the product and serves as the manufacturer's Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd by the manufacturer or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) Ltd has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand proprietor, Koppers Performance Chemicals New Zealand, if further information is required.

Issue Date:

26 August 2022

Review Date:

26 August 2027